


SHIMBOL

Wireless Video Transmission System

Item Model: TP MAX



Instruction Manual

Shenzhen ZO Video Technology Co., Ltd.

01/Features



Transmit Range



Built-in Antenna



Latency



Ultra-low-Power



Multiple Power Supply



LED Display
Status Light

02/Packing list

1 Transmitter*1

4 USB Power Cable*2

2 Receiver*1


5 Sticker*2

3 User Manual*1

03/Technical Parameters

	Transmitter	Receiver
Interface	HDMI Input/HDMI Output	HDMI Output*2
Power Supply Method	USB 5V / NP-F Battery	USB 5V / NP-F Battery
Power Consumption	<3W	< 2.5W
HDMI Input	720P@50/60Hz 1080I@50/60Hz 1080P@24/25/30/50/60Hz	/
HDMI Output	720P@50/60Hz 1080I@50/60Hz 1080P@24/25/30/50/60Hz	720P@50/60Hz 1080I@50/60Hz 1080P@24/25/30/50/60Hz
Weight	120g	120g
Size	103*63.5*16mm	103*63.5*16mm
Transmission Frequency Band	5GHz	5GHz
Transmit Power	20dBm Max	17dBm
Transmission Delay	70ms	
Receiving Sensitivity	/	-85dBm

04/Product Description



- 1** LED Display Status Light
- 2** Electric Quantity Button
- 3** Pairing Button
- 4** Power Switch
- 5** HDMI Output(TX/RX)
- 6** HDMI Input(TX)/Output(RX)
- 7** USB Port
- 8** Battery Plate

- A** Press the 2 button to check the battery level, 4 green lights indicate the battery level. When connected to USB, the green light is on.
- B** The pairing button is production mode, and the client does not need to pair.

折页

尺寸:(83x2)x118mm

材质:157铜板+双面印刷对折页
浅色虚线为对折位置

文件编号: ZO-TPMAX-ML(说明书)-英文

版本号: A0

制作: 郑帅

日期: 2024-09-01

审核:

材质确认:

结构尺寸确认:

深圳市零壹视讯科技有限公司
Shenzhen ZO video technology Co.,Ltd.